



Mark Scheme (Results)

June 2016

Pearson Edexcel International GCSE
Mathematics B (4MB0)
Paper 02R

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2016

Publications Code 4MB0_02R_1606_MS

All the material in this publication is copyright

© Pearson Education Ltd 2016

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
 - M marks: method marks
 - A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - cao – correct answer only
 - ft – follow through
 - isw – ignore subsequent working
 - SC - special case
 - oe – or equivalent (and appropriate)
 - dep – dependent
 - indep – independent
 - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

International GCSE Maths					
	Q	Working	Answer	Mark	Notes
1	a	$x^2 - 2 \times 3 \times y = 9 - 6y$		3	M1 Can be embedded in a matrix equation (This also applies to the second equation).
			$x = 3$	A1	
			$x = -3$	A1	
b		$y - 2x = 5$		3	M1
			$y = 11$ $(5 + 2 \times 3)$	A1	
				ft	
			$y = -1$ $(5 - 2 \times -3)$	A1	
				ft	
				Total 6 marks	

2	a	$r_{\text{removed}} = \frac{8}{20} \times 6$ $\left(\frac{8}{20} = \frac{r}{6} \right)$ (o.e.)			M1
	Alt:	(Using half the vertex angle) $r = 8 \times \tan(16.7)$			
b		$r_{\text{removed}} = 2.4$ (cm) (awrt)	A1		
c		$(V =) \frac{1}{3} \pi \times 6^2 \times 20 - \frac{1}{3} \pi \times "2.4"'^2 \times 8$ (oe)		M1	
,	Time (sec) = $\frac{"706"}{54}$	$= 706$ or 705 (cm^3) (cao)	A1		
		Time (sec) = 13 (cao)	A1		
				Total 6 marks	

3	a	$\left(\frac{dy}{dx} = \right) 6x^2 - 8x$ (1 term correct)		4	M1
		Fully correct		A1	
		$6x^2 - 8x = 0$		M1 (dep)	
			$x = \frac{4}{3}$ (cc)	A1	
	OR			M1 (dep)	
		$6 \times \left(\frac{4}{3}\right)^2 - 8 \left(\frac{4}{3}\right)$	0 (cc)	A1	
	b	calculating $\frac{dy}{dx}(x=1, \text{say}) = -2$ and $\frac{dy}{dx}(x=2, \text{say}) = +8$		M1	
		(ie evaluating $\frac{dy}{dx}$ on either side of the stationary point)		M1 (dep)	
		Note: any value to the left of $4/3$ (must be > 0) any value to the right of $4/3$ Noting the change in sign of $\frac{dy}{dx}$ from negative to positive as $x \uparrow$ through the stationary point			

OR Calculating $f(4/3) = 2.63..$ (or better) (Accept 71/27)		M1 any value to the left of $4/3$ (must $be > 0$) any value to the right of $4/3$		
Calculating $f(x=1, \text{say})=3$ and $f(x=2, \text{say})=5$ and noting that both values are greater than $f(4/3)$		M1 (dep)		
OR (not in syllabus) $\frac{d^2y}{dx^2} = 12x - 8$ $\frac{d^2y}{dx^2}(x=\frac{4}{3}) > 0$		M1 M1 (dep)	A1	Total 5 marks
	Minimum (cc)			

4	a	Vans = 240		1	B1
b		One of Lorries: $\frac{1}{5} \times (600 - "240")$ OR Cars: $\frac{4}{5} \times (600 - "240")$ seen (oe)		3	M1
c		Cars sold = "288" + $\frac{1}{9} \times "288" (= 320)$ (oe) and Lorries sold = $\frac{87.5}{100} \times "72" (= 63)$ (oe)	Lorries = 72 OR Cars = 288 Cars = (600 - "240") - "72" OR Lorries = (600 - "240") - "288"	A1	A1 ft
		% increase = $\frac{("320" + "63" + "240") - 600}{600} \times 100$ (oe) (3.833...)		3	M1 (dep)
				Accept 12.5% increase or decrease here (i.e. 63 or 81)	

	OR Increase in cars sold = $\frac{1}{9} \times "288" (= 32)$ and (decrease) in lorries sold = $\frac{12.5}{100} \times "72" (= 9)$ $\frac{"32" - "9"}{600} \times 100$	M1
		M1 (dep)
	4%	A1
		Total 7 marks

5	ai	$xy=1+x$ <p>OR</p> $y = \frac{1}{x} + 1$ <p>OR</p> $xy = y + 1$	4	M1
		$x(y-1)=1$ <p>OR</p> $y-1=\frac{1}{x}$ <p>OR</p> $y(x-1)=1$	M1 (dep)	
		$f^{-1} : x \mapsto \frac{1}{x-1}$	A1	For the letter 'y', accept any other letter
	a ii	$(x=)1$ <p>OR</p> $x \neq 1$ <p>OR</p> <p>"not 1"</p>	B1 ft	Cand's (a)(i) must be a fraction with a linear denominator and it is on the cand's denominator
	b	$\frac{2}{x} + 3 = 4 \times " \frac{1}{x-1} "$	5	Correctly removing at least two different denominators in x This M mark is independent of the previous M mark.
		$2(x-1) + 3x(x-1) = 4x$	(oe)	M1 A1
		$3x^2 - 5x - 2 (= 0)$		

	$(3x+1)(x-2)$	M1
	attempt to factorise their trinomial quadratic	
OR	fully correct substitution into a correctly quoted formula	
OR	Completing the square method as far as:	
	$\left(x - \frac{5}{6}\right)^2 = \frac{2}{3} + \left(\frac{5}{6}\right)^2$	A1
	$-\frac{1}{3} (-0.333 \text{ awrt}),$	
	2 `	
		Total 9 marks

6	a	Triangle <i>A</i> drawn and labelled	1	B1
b	$\begin{pmatrix} -1 & 1 \\ 2 & -1 \end{pmatrix} \begin{pmatrix} 1 & 2 & -1 \\ 1 & 3 & 2 \end{pmatrix}$	Triangle <i>B</i> is (0, 1), (1, 1), (3, -4) Triangle <i>B</i> drawn and labelled.	3	M1 Method can be implied from the resultant 2 x 3 matrix or the triangle itself
c	$\begin{pmatrix} 2 & 1 \\ -1 & -1 \end{pmatrix} \begin{pmatrix} 0 & 1 & 3 \\ 1 & 1 & -4 \end{pmatrix}$	Triangle <i>C</i> is (1, -1), (3, -2), (2, 1) Triangle <i>C</i> drawn and labelled	3	A2 (-1eeoo) The coordinates can be implied from a 2 x 3 matrix seen or from the triangle itself. If the ft is to be applied we must see an attempt at the matrix multiplication
d		Rotation about origin or (0, 0) (anticlockwise) 270° or clockwise 90° or -90°	3	B1 B1 A combined transformation earns no marks No marks (or penalties) for the appearance of a matrix here.
				Total 9 marks

7	a		0.25 (oe)		B1
		0.7, 0.3 (oe)			B1
		0.6, 0.4 (oe)			B1
bi	"0.25" × "0.4"				M1
		0.1 , $\frac{1}{10}$			A1
bii	One of 0.75 × "0.3" and "0.25" × "0.4" OR 0.75 × "0.7" + "0.25" × "0.6" 0.75 × "0.3" + "0.25" × "0.4" OR $1 - (0.75 \times 0.7 + 0.25 \times 0.6)$				M1
					M1 (dep) For "0.25" × "0.4" accept "0.1"
c	a probability $\frac{"0.325"}{"0.1"}$ $\frac{"0.325"}{"0.325"}$	0.325, $\frac{13}{40}$		A1	
					M1
					M1 (dep) "0.325" = $0.75 \times 0.7 + 0.25 \times 0.6$
		awrt 0.31, $\frac{4}{13}$			A1 Condone percentages as probabilities.
					Total 11 marks

8	$t = ab + adx$ OR $\frac{t}{a} = b + dx$		M1
	$t - ab = adx$ (o.e.) OR $\frac{t}{a} - b = dx$ (o.e.)	M1 (dep)	
	$x = \frac{t-ab}{ad}$, $x = \frac{t}{ad} - \frac{b}{d}$, $x = \frac{\left(\frac{t}{a} - b\right)}{d}$ (o.e)	A1 Do not isw Accept also $x = \frac{-t+ab}{-ad}$ and $x = \frac{(t-ab)}{a}$ Do not accept $\frac{t-ab}{a}$ (the order $\frac{t}{d}$ of operation must be clear) $x = \dots$ must be on the answer line for the final A mark	Total 3 marks

9	$BD^2 = 10^2 + 4^2 - 2 \times 10 \times 4 \times \cos(20)$ $BD = \sqrt{(10^2 + 4^2 - 2 \times 10 \times 4 \times \cos(20))} \quad (= \sqrt{40.8...})$		3 M1 M1 (dep) A1
`b	In ΔABD , $\frac{10}{\sin \angle ADB} = \frac{"6.3894"}{\sin 20}$ OR $10^2 = 4^2 + "6.389"^2 - 2 \times 4 \times "6.389" \times \cos \angle ADB$ $\angle ADB = \sin^{-1} \left(\frac{10 \times \sin 20}{"6.3894"} \right) \quad (\angle ADB = 147.636)$ OR $\therefore \angle ADB = \cos^{-1} \left(\frac{4^2 + "6.389"^2 - 10^2}{2 \times 4 \times "6.389"} \right) \quad (\angle ADB = 147.636)$ $\therefore \angle BDC = 180 - "147.636"$	$BD = 6.3894 \text{ cm} \rightarrow \mathbf{6.39}$	4 M1 M1 (dep) A1
		$\therefore \angle BDC = 32.3637 \rightarrow \mathbf{32.4^\circ}$	
OR	$\frac{4}{\sin \angle ABD} = \frac{"6.3894"}{\sin 20}$ $\sin \angle ABD = \frac{4 \times \sin 20}{"6.3894"} \quad (\angle ABD = 12.3637...)$ $\therefore \angle BDC = 20 + "12.3637..."$	$\therefore \angle BDC = 32.3637 \rightarrow \mathbf{32.4^\circ}$	M1 M1 (dep) M1 (dep) A1

			3 M1
c	$\Delta ABC = 18 = \frac{1}{2} \times 10 \times "(4 + CD)" \times \sin 20$		
OR			
	$\Delta ABD = \frac{1}{2} \times 4 \times 10 \times \sin 20 (= 6.8404)$		
	$\therefore \Delta BCD = 18 - "6.8404" (= 11.1596)$		
	$\therefore CD = \frac{18}{\frac{1}{2} \times 10 \times \sin 20} - 4$	(oe)	
OR			
	$(\therefore "11.1596" = \frac{1}{2} \times "6.3894" \times CD \times \sin "32.3637")$		
		$CD = \frac{"11.1596"}{\frac{1}{2} \times "6.3894" \times \sin "32.3637"}$	

	$\therefore CD = 6.5186, 6.5257 \text{ cm}$ →6.52, 6.53	$CD = 6.5186 \text{ using}$ 6.39 and 32.4° and $CD = 6.5257 \text{ using}$ 6.3894 and 32.3637°	
	If the incorrect obtuse angle has been penalised in part (b), Condone $\sin(147.636\dots)$ in this part of the question.		Total 12 marks

10	ai	$\overrightarrow{AB} = 2\mathbf{b} - \mathbf{a}$	5	B1
	aii	$\overrightarrow{BC} = -\mathbf{b}$		B1
	aiii	$\overrightarrow{AF} = \frac{2}{3}(\overrightarrow{AB}) = \frac{2}{3}(2\mathbf{b} - \mathbf{a})$ (o.e.)		B1 ft
	aiv	$\overrightarrow{FC} = \frac{1}{3}(2\mathbf{b} - \mathbf{a}) + -\mathbf{b}$ OR $-\frac{2}{3}(2\mathbf{b} - \mathbf{a}) - \mathbf{a} + \mathbf{b}$	M1	
		$\overrightarrow{FC} = -\frac{1}{3}(\mathbf{a} + \mathbf{b})$ (o.e.)	A1	
	b	$\overrightarrow{FE} = -\frac{\lambda}{3}(\mathbf{a} + \mathbf{b})$	1	B1 ft
	c	$\overrightarrow{OE} = \mathbf{a} + \frac{2}{3}(2\mathbf{b} - \mathbf{a}) + \left(-\frac{\lambda}{3}(\mathbf{a} + \mathbf{b})\right)$ ($= \overrightarrow{OA} + \overrightarrow{AF} + \overrightarrow{FE}$)	2	M1
	OR	$\overrightarrow{OE} = \overrightarrow{OC} + \overrightarrow{CE} = \mathbf{b} + (\lambda - 1) \left(-\frac{1}{3}(\mathbf{a} + \mathbf{b}) \right)$		
		$[FE = FC + CE : CE = FE - FC = (\lambda - 1)FC]$ (o.e.)		
	d	$\overrightarrow{OE} = \mathbf{a} \left(\frac{1}{3} - \frac{\lambda}{3} \right) + \mathbf{b} \left(\frac{4}{3} - \frac{\lambda}{3} \right)$ (o.e.)	A1	Accept $\frac{1}{3}\mathbf{a} - \frac{1}{3}\lambda\mathbf{a} + \frac{4}{3}\mathbf{b} - \frac{1}{3}\lambda\mathbf{b}$
		$\mu(2\mathbf{b} - \mathbf{a}) = " \mathbf{a} \left(\frac{1}{3} - \frac{\lambda}{3} \right) + \mathbf{b} \left(\frac{4}{3} - \frac{\lambda}{3} \right)"$	6	M1

	Equating components one pair of components		M1 (dep) A1
	of a : $-\mu = \frac{1}{3} - \frac{\lambda}{3}$		A1
	of b : $2\mu = \frac{4}{3} - \frac{\lambda}{3}$		A1
	$\lambda = 2$		A1
	$\mu = \frac{1}{3}$		A1
e	Congruent, similar triangles or same area $OCE \cong CFB$, $OCE \square CFB$ Stating at least 3 pairs of sides and/or 3 pairs of angles are equal	1 B1	Total 15 marks

11	a	-0.28, 3.28 (awrt)	2	B1 B1
	b	-1 mark for straight line segments each point missed each missed segment each point not plotted each point incorrectly plotted tramlines very poor curve	3	B3 Accuracy for both plotting and drawing is $\pm \frac{1}{2}$ ss ft from their table values Only penalise straight line segments in the range $-0.5 < x < 1$ and/or $1 < x < 1.5$
	c	-0.3 , 1.3	2	B1 For -0.3 accept any value in the range $-0.3 \rightarrow -0.2$ B1 For 1.3 accept any value in the range $1.2 \rightarrow 1.3$
	d	$x < -0.7$ $x > 0.4$ $x < 1.9$	3	B1 0.4 < $x < 1.9$ only stated scores ft B0, B1, B1 B1 Accept weak inequalities ft B1 If none of the B marks are earned, award B1, B0, B0 if and only if all 3 critical values are stated and are correct (\pm small square)

<p>e</p> $\left(-2x^3 + 3x^2 + 2x \right) + \left(-\frac{1}{2}x - 2 \right) = 0$ $\therefore \left(-2x^3 + 3x^2 + 2x \right) = \frac{1}{2}x + 2 \quad (\text{oe, allow 1 sign slip})$	$y = \frac{1}{2}x + 2$ drawn and going through (0, 2) or (2, 3) extrapolating if necessary	<p>M1 (dep)</p> <p>Accuracy of the line $\pm \frac{1}{2}$ ss of the two given points</p>	<p>A1</p> <p>2^{nd} M can imply the first M</p> <p>Line going through (0, 2) and (2, 3) extrapolating where necessary and intersecting candidate's</p> $y = -2x^3 + 3x^2 + 2x$ three times	<p>-0.8, 0.8, 1.6</p> <p>A1 ft A1 ft A1 ft</p>	<p>6</p> <p>M1</p>
					Total 16 marks

