



Mark Scheme (Results)

January 2018

Pearson Edexcel International GCSE
Mathematics B (4MB0)
Paper 02R

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2018

Publications Code 4MB0_02R_1801_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- cao – correct answer only
- ft – follow through
- isw – ignore subsequent working
- SC - special case
- oe – or equivalent (and appropriate)
- dep – dependent
- indep – independent
- eoo – each error or omission

No working

- If no working is shown then correct answers normally score full marks
- If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working

- If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
- If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.
- Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.
- If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.
- If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.
- If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

- It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.
- It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.
- Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.


Parts of questions

- Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question	Scheme	Mark	Notes
1 (a)	$348 \times \frac{100}{60} \text{ oe}$	2	M1 A1
(b)	$\$580 \times \frac{75}{100} - \348 OR $(0.40 - 0.25) \times \$580 \text{ OR } (0.75 - 0.60) \times \580	2	M1 A1
2		4	<p>M1 Rearranging st coef of x or y is the same in both eqns OR isolating x or y</p> <p>M1 (DEP) Substituting expression (or value correctly obtained) for x or y to obtain y or x</p> <p>NB: Allow a total of 1 slip in both M marks.</p> <p>A1 A1</p>

Question	Scheme	Mark	Notes
3 (a)	$576 = \frac{\alpha}{\left(\frac{1}{2}\right)^3}$ $\alpha = 72$ $\therefore f = \frac{72}{t^3}$	3	M1 A1 A1
(b)	$f = 5 + \frac{1}{t} = \frac{72}{t^3}$ $(-9) \quad (\text{oe})$ $t = \frac{1}{4}$	2	M1 A1

Question	Scheme	Mark	Notes
4	<p>One of</p> <p>(1,1): $-7 + 2x^2 = 1$ (ie 1st column) (2,1): $-21 - 4x^2 = -37$ (3,1): $35 - 6x^2 = 11$</p> <p>One of</p> <p>(1,2): $1 + 2(x'' + 2y) = 1$ (ie 2nd column) (2,2): $3 - 4(x'' + 2y) = 3$ (3,2): $-5 - 6(x'' + 2y) = -5$</p> <p>One of</p> <p>(1,3): $-x''z - 2''y'' = -4$ (ie 3rd column) (2,3): $-3''x''z + 4''y'' = -22$ (3,3): $5''x''z + 6''y'' = 24$</p>	6	<p>M1 A1</p> <p>M1 (DEP) A1</p> <p>M1 (DEP) A1</p>

Question	Scheme		Mark	Notes
5 (a)			4	B1 25 correctly positioned B1 5, 10 and 15 correctly positioned B1 45 and 20 correctly positioned B1 $4x$ correctly positioned in T and x correctly positioned in H
(b)			1	ft
(c)	$150 = 25 + "45" + "5" + x + "10" + 20 + "15" + 4x$ (oe) (ie $150 = \text{their } 8 \text{ values}$) $x = 6$		2	M1 Collecting "their" two x terms and equating them to "their" 7 constant values A1 B1 NB: ft on their diagram
(d)	$\left(\frac{"10" + "20"}{"45" + "5" + "10" + "20"} = \right)$ $\frac{"30"}{"80"} \text{ (oe), "0.375", "37.5"%}$		1	

Question	Scheme	Mark	Notes
6 (a)		1	B1
(b)		1	B1
(c)	$y(2x-3)=6$ (oe) OR $x(2y-3)=6$ (oe) $h^{-1}: x \mapsto \frac{6+3x}{2x}, \frac{3}{x} + \frac{3}{2}, h^{-1} = \frac{6+3x}{2x}$ (oe)	2	M1 A1
(d)	$18x-x(2x-3)=3(2x-3)$ (removing denominators, oe, allow 1 minor slip) $2x^2-15x-9(=0)$ (oe) $x = \frac{-(-15) \pm \sqrt{((-15)^2 - 4 \times 2 \times (-9))}}{2 \times 2}$		M1 A1 M1 A1 A1 (INDEP)
	8.06		

NB: on their trinomial quadratic.
-0.558

Question	Scheme	Mark	Notes
7 (a)	$65 < t \leq 70$ fd = 4 (8 x 1 cm squares) units $70 < t \leq 80$ freq = 50 runners $80 < t \leq 95$ fd=4units $95 < t \leq 115$ fd = 4.5 units $115 < t \leq 140$ freq = 75 and fd = 3 units	5	B1 B1 B1 B1 B1 ft
(b)		1	B1 Ft NB: ft on "50" for $70 < t \leq 80$
(c)	Using a correct mid-pt At least 3 correct products $\frac{10 \times 62.5 + 20 \times 67.5 + "50" \times 75 + 60 \times 87.5 + 90 \times 105 + "75" \times 127.5}{305}$ $\left(= \frac{625 + 1350 + "3750" + 5250 + 9450 + 9562.5}{305} = \frac{29987.5}{305} \right)$	4	M1 M1 (DEP) M1 (DEP) A1 (cao)

Question	Scheme	Mark	Notes
8 (a) (i)		1	B1
(ii)		1	B1
(b)	$\overrightarrow{PQ} = \alpha(8\mathbf{b} - 4\mathbf{a}) = -\mathbf{a} + \frac{8}{m}\mathbf{b} \quad (= \overrightarrow{PO} + \overrightarrow{OQ})$	3	M1 A1 A1 NB: Cand. must use vectors as required by question.
(c)	$\overrightarrow{PR} = \overrightarrow{PA} + \overrightarrow{AR} = 3\mathbf{a} + \frac{1}{n}(8\mathbf{b} - 4\mathbf{a})$ $\overrightarrow{PR} = \left(3 - \frac{4}{n}\right)\mathbf{a} + \frac{8}{n}\mathbf{b}, \quad 3\mathbf{a} - \frac{4}{n}\mathbf{a} + \frac{8}{n}\mathbf{b}, \quad \frac{3na - 4a + 8b}{n}$	2	M1 A1 NB: So \mathbf{a} and \mathbf{b} terms separated
(d)	<p>PR parallel to OB means "comp of \mathbf{a}" in \overrightarrow{PR} above is zero</p> <p>(OR since triangles AOB and ARB are similar, $\frac{AP}{AO} = \frac{3}{4} = \frac{PR}{OB}$,</p> <p>Comp of \mathbf{b} in (c) means that $\therefore \overrightarrow{PR} = 6\mathbf{b} = \frac{8}{n}\mathbf{b}$ (M1))</p>	2	M1 A1
(e)	<p>Triangles OAB and OPQ are similar (oe)</p> <p>$\therefore \Delta OAB = 4^2 \times \Delta OPQ$</p> <p>$APQB = 150 = \text{Triangle } OAB \square \square \text{Triangle } OPQ$</p> <p>$\therefore 150 = 4^2 \Delta OPQ - \Delta OPQ$ (oe)</p> <p>$\therefore \Delta OPQ = \mathbf{10}(\text{cm}^2)$</p>	3	M1 M1 A1 (DEP)

Question	Scheme	Mark	Notes
9 (a)	Triangle S drawn and labelled	1	B1
(b)	Triangle T drawn and labelled $\left(\Delta T = \begin{pmatrix} 2 & 3 & 3 \\ 4 & 4 & 6 \end{pmatrix} \right)$	2	B2 (-1ee)
(c)	Either point $(-2,2)$ indicated OR At least two construction lines through $(-2,2)$ Triangle U $\left(\Delta U = \begin{pmatrix} -6 & -7 & -7 \\ 0 & 0 & -2 \end{pmatrix} \right)$ NB: Award M1 A2 if $(-2,2)$ not indicated and no construction lines but ΔU drawn correctly Award M1 A1 A0 if ΔU drawn correctly except for one Vertex.	3	M1 A2 (-1ee)
(d)	Triangle V drawn and labelled $\left(\Delta V = \begin{pmatrix} -1 & -2 & -2 \\ -1 & -1 & -3 \end{pmatrix} \right)$ NB: ft on "triangle U "	2	B2) ft (-1ee)
(e)	$\begin{pmatrix} -3 & 1 \\ 1 & 1 \end{pmatrix} \begin{pmatrix} -1 & -2 & -2 \\ -1 & -1 & -3 \end{pmatrix}$ "		M1 A2 (-1ee)
(f)	Triangle W drawn and labelled $\left(\Delta W = \begin{pmatrix} 2 & 5 & 3 \\ -2 & -3 & -5 \end{pmatrix} \right)$ -4	1	B1
(g)	1 : 4	1	B1

Question	Scheme	Mark	Notes
10 (a)	$\sin 25 = \frac{20}{AB}$ $47.3240 \rightarrow 47.3 \text{ (cm)}$ $\cos 20 = \frac{FC}{15}$ $14.0954 \rightarrow 14.1 \text{ (cm)}$	2	M1 A1
(b)	$AC^2 = AB^2 + 15^2 - 2 \times AB \times 15 \times \cos 95$ $AC = \sqrt{(AB^2 + 15^2) - (2 \times AB \times 15 \times \cos 95)}$	3	M1 M1 A1 (DEP)
(c)	$AC = \sqrt{(AB^2 + 15^2) - (2 \times AB \times 15 \times \cos 95)}$ 50.9 (cm)	6	M1 M1 (DEP)
(d)	<p><u>Method 1:</u> $ABCD = \triangle ABC + \triangle ACD$</p> <p><u>Scheme:</u> $\triangle ABC$: M1 (angle for area formula), M1 (area formula)</p> <p>$\triangle ACD$: M1 (angle or side for area formula), M1 (area formula)</p> <p>$ABCD$: M1 (adding areas) A1</p> <p>$\angle ABC = 25 + (180 - 90 - 20) (= 95)$</p> <p>NB: $\angle ABC$ must be evaluated to 95</p> $ \triangle ABC = \frac{1}{2} \times 15 \times AB \times \sin \angle ABC$ $\left(= \begin{cases} 353.6 & \text{using 4sf} \\ 353.4 & \text{using 3sf} \end{cases} \right)$		M1 M1 (DEP)

<p>(Point X is st AD is perpendicular to CX</p> <p>$\therefore AX = 20 + FC$)</p> <p>$\therefore \cos \angle CAD = \frac{AX}{AC}$ $\left(\angle CAD = \begin{cases} 47.94^\circ & \text{using 3sf answers} \\ 47.92^\circ & \text{using 4sf answers} \end{cases} \right)$</p> <p>$\therefore \Delta ACD = \frac{1}{2} \times 40 \times AC \times \sin \angle CAD$ $\left(= \begin{cases} 755.2 & \text{using 4sf} \\ 755.8 & \text{using 3sf} \end{cases} \right)$</p> <p>[OR $\therefore CX = \sqrt{AC^2 - AX^2}$</p> <p>$\therefore \Delta ACD = \frac{1}{2} \times 40 \times CX$]</p>		(M1) (M1)
<p>$\left(\text{OR } \angle ABC = 25 + (180 - 90 - 20) \right) (= 95)$</p> <p>NB: $\angle ABC$ must be evaluated to 95</p> <p>$\angle BAC = \sin^{-1} \left(\frac{15 \times \sin 95}{50.9} \right) (= 17.07)$</p> <p>$\Delta ABC = \frac{1}{2} \times 47.324 \times 50.9 \times \sin \angle BAC$</p>		(M1) (M1) (M1) (M1) (DEP) (DEP) (DEP)

	$\angle CAD = 65 - 17.07'' \quad (= 47.93)$ $\therefore \triangle ACD = \frac{1}{2} \times 40 \times 50.9'' \times \sin''(65 - 17.07'')$ <p>Finally:</p> $\therefore ABCD = \triangle ABC + \triangle ACD '' \quad \left(= \begin{cases} 1108.8 & \text{using 4sf} \\ 1109.2 & \text{using 3sf} \end{cases} \right)$ $ABCD = \mathbf{1110} \text{ (cm}^2\text{)}$		<p>M1 A1</p> <p>(DEP)</p>
	<p><u>Method 2:</u> $ABCD = (\triangle ABE + \triangle BCF) + CFED$</p> <p><u>Scheme:</u> $\triangle ABE + \triangle BCF$: M1 (full method for area)</p> <p>CFED: M1 (side or angle need to find CX), M1 (full method for CX), M1 (area formula for CFED)</p> <p>ABCD: M1 (adding areas), A1</p> $ABCD = \frac{(\triangle ABE + \triangle BCF) + CFED}{}$ $(\triangle ABE + \triangle BCF) = \left(\frac{1}{2} \times AB'' \times 20 \times \sin 65 \right) + \left(\frac{1}{2} \times FC'' \times 15 \times \sin 20 \right)$ <p>M1</p>		<p>M1 M1 M1 M1 M1 A1</p> <p>(DEP) (DEP) (DEP)</p>

	$\left(= \begin{cases} 464.852 & \text{using 3sf} \\ 465.06 & \text{using 4sf} \end{cases} \right)$ <p>Point X is st AD is perpendicular to CX</p> $\therefore AX = 20 + "FC"$ $\therefore CX = \sqrt{"AC"}^2 - "AX"}^2 \left(= \begin{cases} 37.79 & \text{using 3sf} \\ 37.76 & \text{using 4sf} \end{cases} \right)$ <p>(OR $\tan 25 = \frac{20}{BE}$ ($BE = 42.89$) (M1)</p> $FE = CX = "BE" - 15 \sin 20 \quad \text{(M1(DEP))}$ $\therefore CFED = \frac{1}{2} \times "CX" \times ("FC" + 20) \quad \left(= \begin{cases} 644.32 & \text{using 3sf} \\ 643.71 & \text{using 4sf} \end{cases} \right) \quad \text{M1 (DEP)}$ $\therefore ABCD = "(\Delta BCF + \Delta ABE)" + "CFED" \quad \left(= \begin{cases} 1108.8 & \text{using 4sf} \\ 1109.2 & \text{using 3sf} \end{cases} \right) \quad \text{M1 (DEP)}$ <p>$ABCD = \mathbf{1110}$ (cm²)</p>		
	<p>Method 3: $\underline{\Delta ABC + \Delta ACX + \Delta CXD}$</p> <p>Scheme: ΔABC: M1 (angle for area formula), M1 (area formula)</p>	6	<p>M1 (DEP)</p> <p>M1</p> <p>M1</p> <p>M1 (DEP)</p>

	<p>ΔACX: M1(full method for area formula)</p> <p>ΔCXD: M1(full method for area formula)</p> <p>ABCD: M1 (Adding areas) A1</p> $\underline{ABCD = \Delta ABC + \Delta ACX + \Delta CXD }$ <p>$\angle ABC = 25 + (180 - 90 - 20) (= 95)$</p> <p>NB: $\angle ABC$ must be evaluated to 95</p> $ \Delta ABC = \frac{1}{2} \times 15 \times "AB" \times \sin " \angle ABC "$ <p>M1(DEP)</p> <p>(Point X is st AD is perpendicular to CX</p> <p>$\therefore AX = 20 + "FC")$</p> <p>($BE = 20 \tan 65 = 42.89$ and $BF = 15 \sin 20 = 5.130 \therefore FE = 37.7598$)</p> $ \Delta ACX = \frac{1}{2} \times "34.095" \times "37.76" (= 643.718)$ <p>($DX = 20 - "14.095" = 5.905$)</p> $ \Delta CXD = \frac{1}{2} \times 37.76 \times 5.905 (= 111.479)$	M1 A1
--	---	----------

	<p>∴ $ABCD = 353.4 + 643.718 + 111.479 = 1108.6$ (M1(DEP))</p> <p>$ABCD = 1108.6 \rightarrow 1110$ (A1)</p> <p><u>Method 4: $\triangle ABE + \triangle BED + \triangle BCD$</u></p> <p>Scheme: $\triangle ABE + \triangle BED$: M1(area formula for $\triangle ABE$), M1($\triangle ABE = \triangle BED$) (DEP)</p> <p>$\triangle BCD$: M1(full method for $\angle DBC$), M1(area formula) (DEP)</p> <p>$ABCD$: M1 (Adding areas), A1</p> <hr/> <p><u>$\triangle ABE + \triangle BED + \triangle BCD$</u></p> <p>($BE = 20 \tan 65 = 42.89$)</p> <p>$\triangle ABE = \frac{1}{2} \times 20 \times 42.89 = 428.9$ (M1)</p> <p>and $\triangle ABE = \triangle BED$ (Congruence) (M1)</p> <p>$\angle DBE = 25 \therefore \angle DBC = 70 - 25 = 45$ (M1)</p> <p>$\triangle BCD = \frac{1}{2} \times 15 \times 47.324 \times \sin 45 = 250.97$ (M1(DEP))</p> <p>$ABCD = 428.9 + 428.9 + 250.97 = 1108.77$ (M1(DEP))</p> <hr/> <p>$ABCD = 1108.77 \rightarrow 1110$</p>	6	<p>M1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>(DEP)</p> <p>(DEP)</p>
--	---	---	---

Question	Scheme	Mark	Notes
11 (a)	$3x^4 - 11x^3 + 6x^2 + 9x - 6$ (Expanding, allow 1 slip) (OR $3\left(\frac{2}{3}\right)^4 + a\left(\frac{2}{3}\right)^3 + 6\left(\frac{2}{3}\right)^2 + 9\left(\frac{2}{3}\right) - 6 = 0$ (M1))	2	M1 A1
(b)	$\frac{dy}{dx} = 3x^2 - 6x$ (differentiating, one term correct) cc "3x ² - 6x" = 0 $3x(x - 2)$ (solving 2 term quadratic) (0, 3) and (2, -1) NB: Working must be seen	4	M1 M1 (DEP) M1 (DEP) A1
(c)	(3), [Accept -0.38, -0.375, -0.37, - $\frac{3}{8}$], (-1), [Accept -0.13, -0.125, -0.12, - $\frac{1}{8}$], 1.11 [Accept $\frac{71}{64}$] NB : (1) Do not award respective A1 for (b) in (c). (2) 2dp answers required, penalise ONCE	3	B3 (-1ee00)

Question	Scheme	Mark	Notes
(d)	<p>Curve</p> <p>-1 mark</p> <p>for straight line segments each point missed each missed segment each point not plotted each point incorrectly plotted tramlines very poor curve</p> <p>NB: (1) Accuracy for both plotting and drawing is $\pm \frac{1}{2}ss = \pm 0.05$</p> <p>(2) Deduct errors starting with the last ePEN mark box</p>	3	B3 (-1e00)
(e)	<p>-0.88 (-0.91 to -0.85)</p> <p>0.67 (Accept $\frac{2}{3}$),</p> <p>1.35 (ie 1.32 to 1.38),</p> <p>2.53 (ie 2.50 to 2.56)</p>	4	B1 B1 B1 B1